Open Agenda



Licensing Sub-Committee

Thursday 27 April 2017
10.00 am
Ground Floor Meeting Room G02C - 160 Tooley Street, London SE1 2QH

Membership

Reserves

Councillor Renata Hamvas (Chair) Councillor Sunil Chopra Councillor Adele Morris Councillor Bill Williams

INFORMATION FOR MEMBERS OF THE PUBLIC

Access to information

You have the right to request to inspect copies of minutes and reports on this agenda as well as the background documents used in the preparation of these reports.

Babysitting/Carers allowances

If you are a resident of the borough and have paid someone to look after your children, an elderly dependant or a dependant with disabilities so that you could attend this meeting, you may claim an allowance from the council. Please collect a claim form at the meeting.

Access

The council is committed to making its meetings accessible. Further details on building access, translation, provision of signers etc for this meeting are on the council's web site: www.southwark.gov.uk or please contact the person below.

Contact

Andrew Weir on: 020 7525 7222 or email: andrew.weir@southwark.gov.uk

Members of the committee are summoned to attend this meeting **Eleanor Kelly**

Chief Executive Date: 18 April 2017





1 - 31

Licensing Sub-Committee

Thursday 27 April 2017
10.00 am
Ground Floor Meeting Room G02C - 160 Tooley Street, London SE1 2QH

Order of Business

Item No. Title Page No.

PART A - OPEN BUSINESS

1. APOLOGIES

To receive any apologies for absence.

2. CONFIRMATION OF VOTING MEMBERS

A representative of each political group will confirm the voting members of the committee.

3. NOTIFICATION OF ANY ITEMS OF BUSINESS WHICH THE CHAIR DEEMS URGENT

In special circumstances, an item of business may be added to an agenda within five clear days of the meeting.

4. DISCLOSURE OF INTERESTS AND DISPENSATIONS

Members to declare any interests and dispensation in respect of any item of business to be considered at this meeting.

5. LICENSING ACT 2003: COALSHED, UNIT 3.1, 4 CROWN SQUARE, LONDON SE1 2SE

ANY OTHER OPEN BUSINESS AS NOTIFIED AT THE START OF THE MEETING AND ACCEPTED BY THE CHAIR AS URGENT.

PART B - CLOSED BUSINESS

EXCLUSION OF PRESS AND PUBLIC

The following motion should be moved, seconded and approved if the sub-committee wishes to exclude the press and public to deal with reports revealing exempt information:

"That the public be excluded from the meeting for the following items of business on the grounds that they involve the likely disclosure of exempt information as defined in paragraphs 1-7, Access to Information Procedure rules of the Constitution."

ANY OTHER CLOSED BUSINESS AS NOTIFIED AT THE START OF THE MEETING AND ACCEPTED BY THE CHAIR AS URGENT.

Date: 18 April 2017

Item No. 5.	Classification: Open	Date: 27 April 2017	Meeting Name: Licensing Sub-committee	
Report title:		Licensing Act 2003: Coalshed, Unit 3.1, 4 Crown Square, London SE1 2SE		
Ward(s) or groups affected:		Riverside		
From:		Strategic Director of Environment and Social Regeneration		

RECOMMENDATION

1. That the licensing sub-committee considers an application made by The Coalshed One Tower Bridge Limited for a premises licence to be granted under the Licensing Act 2003 in respect of the premises known as Coalshed, Unit 3.1, 4 Crown Square, London SE1 2SE.

2. Notes:

- a) This application forms a new application for a premises licence, submitted under section 17 of the Licensing Act 2003. The application is subject to representations from responsible authorities and other persons and is therefore referred to the sub-committee for determination.
- b) Paragraphs 8 to 12 of this report provide a summary of the application under consideration by the sub-committee. A copy of the full application is attached as Appendix A.
- c) Paragraphs 13 to 21 of this report deals with the representations received regarding the premises licence application. Copies of the representations from the responsible authorities and other persons are attached as Appendices B and C.
- d) Paragraph 23 deals with licensed premises within a 100m radius of the premises. A map of the area is attached as Appendix D.
- e) A copy of the council's approved procedure for hearings of the sub-committee in relation to an application made under the Licensing Act 2003, along with a copy of the hearing regulations, has been circulated to all parties to the meeting.

BACKGROUND INFORMATION

The Licensing Act 2003

- 3. The Licensing Act 2003 provides a regime for:
 - The sale of and supply of alcohol
 - The provision of regulated entertainment
 - The provision of late night refreshment.

- 4. Within Southwark, the licensing responsibility is wholly administered by this council.
- 5. The Act requires the licensing authority to carry out its functions under the Act with a view to promoting the four stated licensing objectives. These are:
 - The prevention of crime and disorder
 - The promotion of public safety
 - The prevention of nuisance
 - The protection of children from harm.
- 6. In carrying out its licensing functions, a licensing authority must also have regard to:
 - The Act itself
 - The guidance to the act issued under Section 182 of the Act
 - Secondary regulations issued under the Act
 - The licensing authority's own statement of licensing policy
 - The application, including the operating schedule submitted as part of the application
 - Relevant representations.
- 7. The premises licence application process involves the provision of all relevant information required under the Act to the licensing authority with copies provided by the applicant to the relevant responsible bodies under the Act. The application must also be advertised at the premises and in the local press. The responsible authorities and other persons within the local community may make representations on any part of the application where relevant to the four licensing objectives.

KEY ISSUES FOR CONSIDERATION

The premises licence application

- 8. On 6 March 2017, The Coalshed One Tower Bridge Limited applied to this council for the grant of a new premises licence in respect of the premises known as Coalshed, Unit 3.1, 4 Crown Square, London SE1 2UG.
- 9. The premises is described as a proposed restaurant/bar with external sitting area and will operate primarily as a restaurant with ancillary bar facilities.
- 10. The application is summarised as follows:
 - Late night refreshment (indoors)
 Sun Thurs from 23:00 to 00:00
 Fri and Sat from 23:00 to 01:00 (the following day)
 - The supply of alcohol (for consumption on and off the premises)
 Sun Thurs from 08:00 to 00:00
 Fri and Sat from 08:00 to 01:00 (the following day)
 - Operating hours
 Sun Thurs from 08:00 to 00:30 (the following day)
 Fri and Sat from 08:00 to 01:30 (the following day)
 - Non Standard Timing

New Year's Eve – from the end of permitted hours on New Year's Eve to the start of permitted hours on New Year's Day.

11. The premises licence application form provides the applicant operating schedule. Parts I, J, K, L, and M set out the proposed operating hours and operating controls in full, with reference to the four licensing objectives as stated in the Licensing Act 2003. Should a premises licence be issued in respect of the application the information provided in part M of the operating schedule will form the basis of conditions that will be attached to the licence. A copy of the application is attached to this report as Appendix A.

Designated premises supervisor

12. The proposed designated premises supervisor of the premises is Razaq Helalat who holds a personal licence issued by Brighton and Hove Council.

Representations from responsible authorities

- 13. Three representations were submitted by the Metropolitan Police, Environmental Protection Team (EPT), Licensing (as a responsible authority) and public health.
- 14. The Metropolitan Police welcome the control measures offered in the schedule but would like to see minor adjustments to the conditions and wording to avoid ambiguity have offered suggested conditions which if agreed will form part of the licence if it is granted.
- 15. The EPT have offered a number of conditions that if the applicant agrees to can form part of the premises licence, in addition to the undertaking to clear the external area by 22:00.
- 16. The Licensing representation is based on the Southwark Statement of Licensing policy 2016 2020 and relates to the licensing objectives for the prevention of crime and disorder and the prevention of public nuisance. They state that the premises is situated in Bankside and Borough District Town Centre Area and also falls within the Borough and Bankside CIP Area. Therefore there is a rebuttable presumption that applications for new premises licences that are likely to add to the existing cumulative impact will normally be refused or subject to certain limitations. The applicant has not addressed the presumption to refuse this application within the operating schedule. Licensing would also like to see the opening hours brought in line with the Southwark's statement of licensing policy that the premises will close on Sunday to Thursday at 00:00 hours and on Friday and Saturday at 01:00 hour.
- 17. Due to the limited information on the application form and to promote the licensing objectives ask the applicant to provide the further information and have also offered conditions to be considered by the applicant to be added to the operating schedule.
- 18. The Public Health representation state that the premises is located within Borough Bankside cumulative impact policy area and in their opinion the applicant has not rebutted the presumption that the additional capacity will add to the cumulative impact of alcohol related harms in the local area. They also request a change in hours for alcohol sales.
- 19. The representations are attached as Appendix B.

Representations from other persons

- 20. There have been one representation from an other person (Shad Thames RA) They state that the restaurant is immediately adjacent to many residential properties, residents will not only suffer from dispersal noise, but also from noise emanating from the premises during opening hours. They are concerned that the restaurant, with a proposed closing times of 00:30 and 01:30 will be the cause of late night noise.
- 21. A copy of the representation is attached as Appendix C.

Conciliation

22. The applicant was forwarded the representations received and has yet to respond The licensing committee shall be updated at the hearing on 27 April 2017.

The local area

- 23. A map of the area is attached to this report as Appendix D. The premises is identified at the centre of the map. For purposes of scale-only the circle on the map has a 100-metre radius. There are several licensed premises within this 100m radius.
 - Indian Fusion, 214 Tower Bridge Road, SE1(Mon Sat till 00:30; Sun till 00:00)
 - The Don, (bse & grd flr) 224a Tower Bridge Road, SE1. (Mon Sat till 00:30; Sun till 00:00)
 - Tower Bridge Exhibition, Tower Bridge Road, SE1 (Mon to Sun till 01:00)
 - Krystals, 210 Tower Bridge Road, SE1 (24 Hrs)
 - The Bridge House, 218 Tower Bridge Road, SE1 (Mon Sat till 00:30; Sun till 00:00)
 - Draft House, 206-208 Tower Bridge Road, SE1 (Mon Thurs till 01:00, Fri & Sat till 02:00; Sun till 23:00)
 - Sainsburys Local, Unit 7.1 Queen Elizabeth Street, SE1 (licensed activities Mon Sun till 23:00 (open to public 24 hrs)
 - Restaurant Story, 199 Tooley Street, SE1 (Mon Sat till 00:30; Sun till 23:00)
 - Potters Field Park, Tooley Street, SE1 (licensed activities Mon & Tue till 00:00, Wed to Sat till 00:30; Sun till 23:00) (open to the public for 24hrs)
 - Lalit, 188 Tooley Street, SE1 (Licensed activities till 23:00) (open to public 24hrs)
 - Toms Place, Unit 4,3,2 Still Walk, SE1 (Mon Sat 23:00; Sun till 22:30)
 - Ivy Collection, Unit 4, Potters Field Park (Sun Thurs till 00:00; Fri & Sat till 00:30)

Deregulation of entertainment

- 24. On 6 April 2015 entertainment became deregulated and as a result:
 - Live unamplified music is deregulated between 08:00hrs 23:00hrs on any premises.
 - Live amplified music is deregulated between 08.00 and 23.00 provided the audience does not exceed 500 people.
- 25. However, live music can become licensable in on-licensed premises if the licensing authority removes the effect of the deregulation following a licence review ('licence review mechanism').

Borough & Bankside Cumulative Impact Zone

- 26. Council assembly approved the introduction of a special policy for Borough and Bankside on the cumulative impact of a concentration of licensed premises (saturation/cumulative impact policy) on 5 November 2008, and extended the area in April 2011. This application falls within the policy area.
- 27. The decision to introduce saturation policy was taken with regard to the committee's concern over rising trends of late night alcohol related violence against the person and late night disorder and rowdiness associated with late night licensed premises in the area.
- 28. The effect of this special policy is to create a presumption that applications for new premises licences or variations that are likely to add to the existing cumulative impact will normally be refused, following relevant representations, unless the applicant can demonstrate in their operating schedule that there will be no negative cumulative impact on one or more of the licensing objectives.
- 29. The applicant has been advised to address the committee's concerns around cumulative impact at the meeting.

Southwark Statement of Licensing Policy

- 30. This premises is situated within the Bankside Borough and London Bridge Strategic Cultural Area and there are no restrictions of opening hours for residents of the hotel under the Southwark Statement of Licensing policy 2016 2020
- 31. Council assembly approved Southwark's Statement of Licensing Policy 2016-20 on 25 November 2015. Sections of the statement that are considered to be of particular relevance to the sub-committee's consideration are:
 - Section 3 Purpose and scope of the policy Which reinforces the four licensing objectives and the fundamental principles upon which this authority relies in determining licence applications
 - Section 5 Determining applications for premises licences and club premises certificates - Which explains how the policy works and considers issues such as location; high standards of management; and the principles behind condition setting.
 - Section 6 Local cumulative impact policies Which sets out this authority's approach to cumulative impact and defines the boundaries of the current special policy areas and the classifications of premises to which they apply. To be read in conjunction with Appendix B to the policy
 - Section 7 Hours of operation Which provides a guide to the hours of licensed operation that this authority might consider appropriate by type of premises and (planning) area classification. To be read in conjunction with Appendix B to the policy
 - Section 8 The prevention of crime and disorder Which provides general guidance on the promotion of the first licensing objective
 - Section 9 Public safety Which provides general guidance on the promotion of the second licensing objective

- Section 10 The prevention of nuisance Which provides general guidance on the promotion of the third licensing objective
- Section 11 The protection of children from harm Which provides general guidance on the promotion of the fourth licensing objective.
- 32. The purpose of Southwark's statement of licensing policy is to make clear to applicants what considerations will be taken into account when determining applications and should act as a guide to the sub-committee when considering the applications. However, the sub-committee must always consider each application on its own merits and allow exceptions to the normal policy where these are justified by the circumstances of the application.
- 33. Within the Southwark statement of licensing policy 2016 2020 the following closing times are recommended as appropriate within this area for this categories of premises as follows:
 - Closing time for restaurants and cafes: Sunday to Thursday is 00:00 hours and for Friday and Saturday is 01:00 hours
 - Closing time for public houses wine bars or other drinking establishments: Sunday to Thursday is 23:00 hours and for Friday and Saturday 00:00 hours.

Resource implications

34. A fee of £100 has been paid by the applicant company in respect of this application being the statutory fee payable for premises within non-domestic rateable value band A.

Consultations

35. Consultation has been carried out on this application in accordance with the provisions of the Licensing Act 2003. A public notice was published in a local newspaper and a similar notice exhibited outside of the premises for a period of 28 consecutive days.

Community impact statement

36. Each application is required by law to be considered upon its own individual merits with all relevant matters taken into account.

SUPPLEMENTARY ADVICE FROM OTHER OFFICERS

Director of Law and Democracy

- 37. The sub-committee is asked to determine the application for a premises licence under section 17 of the Licensing Act 2003.
- 38. The principles which sub-committee members must apply are set out below.

Principles for making the determination

- 39. The general principle is that applications for premises licence applications must be granted unless relevant representations are received. This is subject to the proviso that the applicant has complied with regulations in advertising and submitting the application.
- 40. Relevant representations are those which:
 - Are about the likely effect of the granting of the application on the promotion of the licensing objectives
 - Are made by an interested party or responsible authority
 - Have not been withdrawn
 - Are not, in the opinion of the relevant licensing authority, frivolous or vexatious.
- 41. If relevant representations are received then the sub-committee must have regard to them, in determining whether it is necessary for the promotion of the licensing objectives to:
 - to grant the licence subject to:
 - The conditions mentioned in section 18 (2)(a) modified to such extent as the licensing authority considers necessary for the promotion of the licensing objectives
 - Any condition which must under section 19, 20 or 21 be included in the licence
 - to exclude from the scope of the licence any of the licensable activities to which the application relates
 - to refuse to specify a person in the licence as the premises supervisor
 - to reject the application.

Conditions

- 42. The sub-committee's discretion is thus limited. It can only modify the conditions put forward by the applicant, or refuse the application, if it is necessary to do so. Conditions must be necessary and proportionate for the promotion of one of the four licensing objectives, and not for any other reason. Conditions must also be within the control of the licensee, and should be worded in a way which is clear, certain, consistent and enforceable.
- 43. The four licensing objectives are:
 - The prevention of crime and disorder
 - Public safety
 - The prevention of nuisance
 - The protection of children from harm.
- 44. Members should note that each objective is of equal importance. There are no other licensing objectives, and the four objectives are paramount considerations at all times.
- 45. Conditions will not be necessary if they duplicate a statutory position. Conditions relating to night café and take away aspect of the license must relate to the night

- time operation of the premises and must not be used to impose conditions which could not be imposed on day time operators.
- 46. Members are also referred to the Home Office revised guidance issued under section 182 of the Licensing Act 2003 on conditions, specifically section 10.

Reasons

47. If the sub-committee determines that it is necessary to modify the conditions, or to refuse the application for a premises licence application, it must give reasons for its decision.

Hearing procedures

- 48. Subject to the licensing hearing regulations, the licensing committee may determine its own procedures. Key elements of the regulations are that:
 - The hearing shall take the form of a discussion led by the authority. Cross examination shall not be permitted unless the authority considered that it is required for it to consider the representations.
 - Members of the authority are free to ask any question of any party or other person appearing at the hearing.
 - The committee must allow the parties an equal maximum period of time in which to exercise their rights to:
 - Address the authority
 - o If given permission by the committee, question any other party.
 - o In response to a point which the authority has given notice it will require clarification, give further information in support of their application.
 - The committee shall disregard any information given by a party which is not relevant to the particular application before the committee and the licensing objectives.
 - The hearing shall be in public, although the committee may exclude the public from all or part of a hearing where it considers that the public interest in doing so outweighs the public interest in the hearing, or that part of the hearing, taking place in private.
 - In considering any representations or notice made by a party the authority may take into account documentary or other information produced by a party in support of their application, representations or notice (as applicable) either before the hearing or, with the consent of all the other parties, at the hearing.
- 49. This matter relates to the determination of an application for a premises licence under section 17 of the Licensing Act 2003. Regulation 26(1) (a) requires the subcommittee to make its determination at the conclusion of the hearing.

Council's multiple roles and the role of the licensing sub-committee

50. Sub-committee members will note that, in relation to this application, the council has multiple roles. Council officers from various departments have been asked to consider the application from the perspective of the council as authority responsible

- respectively for environmental health, trading standards, health and safety and as the planning authority.
- 51. Members should note that the licensing sub-committee is meeting on this occasion solely to perform the role of licensing authority. The sub-committee sits in quasi-judicial capacity, and must act impartially. It must offer a fair and unbiased hearing of the application. In this case, members should disregard the council's broader policy objectives and role as statutory authority in other contexts. Members must direct themselves to making a determination solely based upon the licensing law, guidance and the council's statement of licensing policy.
- 52. As a quasi-judicial body the licensing sub-committee is required to consider the application on its merits. The sub-committee must take into account only relevant factors, and ignore irrelevant factors. The decision must be based on evidence, that is to say material, which tends logically to show the existence or non-existence of relevant facts, or the likelihood or unlikelihood of the occurrence of some future event, the occurrence of which would be relevant. The licensing sub-committee must give fair consideration to the contentions of all persons entitled to make representations to them.
- 53. The licensing sub-committee is entitled to consider events outside of the premises if they are relevant, i.e. are properly attributable to the premises being open. The proprietors do not have to be personally responsible for the incidents for the same to be relevant. However, if such events are not properly attributable to the premises being open, then the evidence is not relevant and should be excluded. Guidance is that the licensing authority will primarily focus on the direct impact of the activities taking place at the licensed premises on members of the public, living, working or engaged in normal activity in the area concerned.
- 54. Members will be aware of the council's code of conduct which requires them to declare personal and prejudicial interests. The code applies to members when considering licensing applications. In addition, as a quasi-judicial body, members are required to avoid both actual bias, and the appearance of bias.
- 55. The sub-committee can only consider matters within the application that have been raised through representations from other persons and responsible authorities. Other persons must live in the vicinity of the premises. This will be decided on a case to case basis.
- 56. Under the Human Rights Act 1998. The sub-committee needs to consider the balance between the rights of the applicant and those making representations to the application when making their decision. The sub-committee has a duty under section 17 Crime and Disorder Act 1998 when making its decision to do all it can to prevent crime and disorder in the borough.
- 57. Other persons, responsible authorities and the applicant have the right to appeal the decision of the sub-committee to the magistrates' court within a period of 21 days beginning with the day on which the applicant was notified by the licensing authority of the decision to be appealed against.

Guidance

58. Members are required to have regard to the DCMS guidance in carrying out the functions of licensing authority. However, guidance does not cover every possible situation, so long as the guidance has been properly and carefully understood,

members may depart from it if they have reason to do so. Full reasons must be given if this is the case.

BACKGROUND DOCUMENTS

Background Papers	Held At	Contact
Licensing Act 2003	Southwark Licensing, C/O	Kirty Read
DCMS Guidance to the Act	Community Safety &	Tel: 020 7525 5748
Secondary Regulations	Enforcement, 160 Tooley	
Southwark statement of licensing	Street, London SE1 2QH	
Policy Case file		

APPENDICES

Name	Title
Appendix A	Application for a premises licence
Appendix B	Representations from responsible authorities
Appendix C	Representations from other persons
Appendix D	Map of the local area

AUDIT TRAIL

Lead Officer	Deborah Collins,	Strategic	Director	of	Environment	and	Social
	Regeneration						
Report Author	Dorcas Mills, Princi	ipal Licens	sing Office	er			
Version	Final						
Dated	12 April 2017						
Key Decision?	No						
CONSULTATION	CONSULTATION WITH OTHER OFFICERS / DIRECTORATES / CABINET						
	MEI	MBER					
Officer Title Comments sought Comments included			ıded				
Director of Law and	l Democracy		Yes		Y	'es	
Strategic Director of Finance and			No		1	No	
Governance							
Cabinet Member			No		1	No	
Date final report sent to Constitutional Te		eam			12 April 20	17	

06/03/2017

Business - Application for a premises licence to be granted under the Licensing Act 2003 Ref No. 774235

Name of Applicant

Please enter the name(s) who is applying for a premises licence under section 17 of the Licensing Act 2003 and am making this application to you as the relevant licensing authority in accordance with section 12 of the Licensing Act 2003

	The Coalshed One Tower Bridge Limited
--	---------------------------------------

Premises Details

Non-domestic rateable value of premises in order to see your rateable value click here (opens in new window)

£	0
	Band D and E only applies to premises which uses exclusively or primarily for the supply of alcohol for consumption on the premises
	No

Premises trading name

	The Coalshed
--	--------------

Postal address of premises or, if none, ordnance survey map reference or description

Address Line 1	Unit 3.1
Address Line 2	4 Crown Square
Town	London
County	
Post code	SE1 2SE
Ordnance survey map reference	
Description of the location	Proposed restaurant/bar with external seating area
Telephone number	None

Applicant Details

Please select the capacity in which you are applying to convert your existing licence

a person other than an individual (limited company, partnership, etc)	
---	--

Business - Application for a premises licence to be granted 2nder the Licensing Act 2003

If you applying as an individual or non-individual please select one of the following:-

	I am carrying on or proposing to carry on a business which involves the use of the

Other Applicants

Personal Details - First Entry

Name	The Coalshed One Tower Bridge Limited
	3

Address - First Entry

Street number or building name	8
Street Description	Boyces Street
Town	Brighton
County	
Post code	BN1 1AN
Registered number (where applicable)	10537198
Description of applicant (for example, partnership, company, unincorporated association etc)	Limited Company

Contact Details - First Entry

Telephone number	
Email address	

Operating Schedule

When do you want the premises licence to start?

04/04/2017

If you wish the licence to be valid only for a limited period, when do you want it to end?

General description of premises (see guidance note 1)

	Proposed new restaurant and bar on ground and first floor level with external seating area forming part of new development near junction of Tower Bridge Road/Tooley Street as shown on the layout plans incl a site plan attached to this application.
Please select the rang	ge of the number of people expected to attend the premises at any one time.
	Less than 5000
If 5,000 or more people are expected to attend the premises at any one time. Please state the number expected to attend	
Operating Schedule pa	art 2
What licensable activi	ties do you intend to carry on from the premises?
	(Please see sections 1 and 14 of the Licensing Act 2003 and schedule 1 and 2 to the Licensing Act 2003)
Provision of regulated	entertainment
Provision of late night	refreshment
	i) Late night refreshment
Supply of alcohol	
	j) Supply of alcohol

Business - Application for a premises licence to be ${\bf 1}{\bf 2}$ anted under the Licensing Act 2003

I - Late Night Refreshment

Will the provision of late night refreshment take place indoors or outdoors or both? (Please read guidance note 2)

Business - Application for a premises licence to be granted the Licensing Act 2003

	Indoors
Please give further de	tails here (Please read guidance note 3)
	Hot food and hot drinks at management discretion

Standard days & timings for Late night refreshment (Late night start time is from 23.00, see guidance notes 6)

Day	Start	Finish
Mon	23:00	00:00
Tues	23:00	00:00
Wed	23:00	00:00
Thur	23:00	00:00
Fri	23:00	00:00
Sat	00:00	01:00
	23:00	00:00
Sun	00:00	01:00
	23:00	00:00

State any seasonal variations for the provision of late night refreshment (Please read guidance note 4
--

Non standard timings. Where you intend to use the premises for the provision of late night refreshmentat different times, to those listed. Please list, (Please read guidance note 5)

From the end of permitted hours on New Years Eve until the start of permitted hours on New Years Day

J - Supply of Alcohol

Will the supply of alcohol be for consumption (Please read guidance note 7)

Both

Standard days and timings for Supply of alcohol (Please read guidance note 6)

Day	Start	Finish
Mon	08:00	00:00
Tues	08:00	00:00
Wed	08:00	00:00
Thur	08:00	00:00
Fri	08:00	00:00

Sat	00:00	01:00
	08:00	00:00
Sun	00:00	01:00
	08:00	00:00

State any seasonal variations for the supply of alcohol (Please read guidance 4)

Non standard timings. Where you intend to use the premises for the supply of alcohol at different times to those listed. Please list, (Please read guidance note 5)

From the end of permitted hours on New Years Eve until the start of permitted hours on New Years Day
,

Please upload the consent form completed by the proposed premises supervisor

Description of DDC acceptable
Razag-signed-DPS-consent.pdf
razag signed bi o consentipal
<u> </u>

Premises Supervisor

Full name of proposed designated premises supervisor

First names	Razaq
Surname	Helalat

Address of proposed designated premises supervisor

Street number or Building name	
Street Description	
Town	
County	
Post code	

Personal licence number of proposed designated premises supervisor, if any,

Personal licence number (if known)	1
Issuing authority (if known)	Brighton and Hove

Please highlight any adult entertainment or services	s, activities, other en	tertainment or matter	s ancillary to the
use of the premises that may give rise to concern in	respect of children	(Please read guidan	ce note 8)

None

L - Hours premises are open to public

Hours premises are open to the public (standard timings Please read guidance note 6)

Day	Start	Finish
Mon	00:00	00:30
	08:00	00:00
Tues	00:00	00:30
	08:00	00:00
Wed	00:00	00:30
	08:00	00:00
Thur	00:00	00:30
	08:00	00:00
Fri	00:00	00:30
	08:00	00:00
Sat	00:00	01:30
	08:00	00:00
Sun	00:00	01:30
	08:00	00:00

State any seasonal variations (Please read guidance note 4)

1		
1		
1		

Non standard timings. Where you intend to use the premises to be open to the public at different times from those listed. Please list, (Please read guidance note 5)

From the end of permitted hours on New Years Eve until the start of permitted hou New Years Day

M - Steps to promote four licencing objectives

a) General - all four licensing objectives (b,c,d,e) (Please read guidance note 9)

	The Premises will operate primarily as a restaurant with ancillary bar facilities
--	---

b) the prevention of crime and disorder

I have enclosed the plan of the premises.

be rejected.

I understand that I must now advertise my application.

I understand that if I do not comply with the above requirements my application

br> will

Business - Application for a premises licence to be 1 antended under the Licensing Act 2003


Declaration

Business - Application for a premises licence to be granted the Licensing Act 2003

I agree to the above statement

	I agree
PaymentDescription	, ,
AuthCode	034460
LicenceReference	LPA-94212-312
PaymentContactEmail	

The information you provide will be used fairly and lawfully and Southwark Council will not knowingly do anything which may lead to a breach of the Data Protection Act 1998.



RED OUTLINE AREA FOR THE SALE OF ALCOHOL AND THE PROVISION OF LATE NIGHT REFRESHMENT

Proposed Ground Floor Licensing Plan Scale 1:50 @ A1

Area	Total
Whole demise in total (including 29.3 sqm external terrace)	407.2m2
Restaurant Ground Floor Area Internal	149.7m2
Restaurant Mezzanine Floor Area Internal	81.4m2
Restaurant Area External Terrace	29.3m2
Public WCs	24.8m2
Staff & Kitchen Area	119m2
OCCUPANCY LEVELS	
Restaurant & bar seated	106
Exterior seated	24
TOTAL NUMBER OF OCCUPANCY (seated)	142
Clear Means of escape width required for up to 110 persons	850mm
Clear Means of escape width required for 220 persons	1050mm

Means of Escape Capacity

STANDARDS REQUIRED TO BE ACHIEVED IN RESPECT OF FIRE & SAFETY MATTERS.

1 DOORS AND PARTITIONS REQUIRED TO BE FIRE RESISTING ARE TO BE IN ACCORDANCE WITH BRITISH STANDARD BS 476 1972 AS AMENDED. ALL FIRE DOORS TO BE FDJD DOORS UNLESS STATED ON DOOR SCHEDULE. INC INTUMESCENT STRIPS AND SMOKE SEALS ACROSS TOP AND SIDES OF DOOR, CONTRACTOR TO PROVIDE ALL NECESSARY FIRE CERTIFICATION, ANY DISCREPENCY BETWEEN THIS DRAWING AND DOOR SCHEDULE/SPEC TO BE REPORTED TO DESION LSM.

2 FIRE RESISTING DOORS REQUIRED TO RESIST THE PASSAGE OF SMOKE AT AMBIENT TEMPERATURE CONDITIONS SHOULD, UNLESS TESTED IN ACCORDANCE WITH BS 476 SECTION 31.1 1983, BE FITTED WITH CONTINUOUS SMOKE SEAL.

3 THE FIRE ALARM SYSTEM TO COMPLY WITH BRITISH STANDARDS BS 5839 PART 1 198. THE ATTENTION OF THE DESIGN INSTALLING ENGINEER SHOULD BE DRAWN TO PARAGRAPH 4.3 (CONSULTATION RECORDS) OF BS 5839 PART 1 1988 WHICH REQUIRES CONSULTATION WITH THE FIRE AUTHORITY.

4 THE EMERGENCY LIGHTING INSTALLATION IS TO COMPLY WITH BRITISH STANDARD BS 5266 PART 1 1999 THE ATTENTION OF THE DESIGN INSTALLING ENGINEER SHOULD BE DRAWN TO PARAGRAPH 3.1 (CONSULTATION AND RECORDS) OF 85 2629 PART 1 1999. WHICH REQUIRES CONSULTATION WITH THE RIFE AUTHORITY.

5 FIRE SAFETY RELATED SIGNS AND NOTICES ARE TO CONFORM TO CURRENT BRITISH STANDARDS.

6 ILLUMINATED 'EXIT' SIGNS ARE TO CONFORM TO BS 5499 PARTS 1&3.

7 FIRE FIGHTING EQUIPMENT IS TO COMPLY WITH BS EN3 1-6, BS 7863 (1996), BS 7867 (1997) AND BS 5306 (2000).

8 UPHOLSTERED SEATING FURNITURE MUST SATISFY. AS A MINIMUM STANDARD, IGNITION SOURCE O (CIGARETTE TEST) AND CRIB IGNITION SOURCE 5 AS SPECIFIED IN BS 5862 1990. METHODS OF TEST FOR ASSESSMENT OF THE INGITABILITY OF UPHOLSTERED SEATING BY SMOLDERING AND FLAMING IGNITION SOURCES.

IF IN ORDER TO SECURE COMPLIANCE WITH THE ABOVE STANDARDS WITH THE FABRIC SUBMITTED FOR TEST HAS BEEN TREATED BEFOREHAND WITH A FIRE RETARDANT PRODUCT, THE TESTING LABORATORY MUST BE INSTRUCTED TO SUBJECT HE SAMPLES TO BE TREATED TO A WATER SOAK TEST. IN ACCORDANCE WITH BS 563 1989 PARAGRAPH 1.3. DEFORE THE BS SASS TESTS HAS CARRIED OUT. A COPY OF THE LABORATORY TEST REPORFORM A ACCREDITED TESTING LABORATORY IDENTIFYING COMPLIANCE OF THE STANDARD AND THE CASH TO THE LOCAL LATHORITY SERVICE IN STANDARD STANDARD THAT THE FURNISHING SPECIFIED IN THIS CERTIFICATE HAVE BEEN INSTALLED IN THE PREMISES.

9 CURTAINS AND OTHER TEXTILE HANGINGS MUST BE INHERENTLY FLAME RETARDANT OR BE TREATED WITH A DURABLE FLAME FLAME RETARDANT. THEY MUST BE CAPABLE OF COMPLYING WITH TYPE B' PERFORMANCE REQUIREMENTS OF BS 5857 PART 2 1980 -"SPECIFICATION FOR FABRICS FOR CURTAIN AND DRAPES -FLAMMABILITY REQUIREMENTS"

10 ARTIFICIAL FOLIAGE AND OTHER DECORATIVE EFFECTS ARE TO BE FIRE RETARDANT TO THE SATISFACTION OF THE FIRE AUTHORITY.

12. CERTIFICATES OF INSTALLATION TEST WILL BE REQUIRED IN RESPECT OF ITEMS NUMBER 3,4,6,8 AND 9 ABOVE AND MAY BE REQUIRED FOR ITEM 2.

Maintained Emergency light

Non maintained emergency light

Illuminated exit sign over door SD Ceiling Mounted Smoke Detector

HD Ceiling mounted Heat Detector

Fig Fire Door keep clear sign located on direction of opening side door

Keep Door Locked Sign located on direction of opening side door

Visible FA warning

Haif hour fire door including intumescent smoke seal strips and positive overhead door closures, fire stops and sign One hour fire door including intumescent smoke seal strips and positive overhead door closures, fire stops and sign

We Vision panel in door comprising FR glass and hw beads in intrumescent paste Minimum size of vision panel 250mm dia Emergency exit sign indicating direction of means of

Fire alarm sounder

SC Positive overhead door closures PP Emergency Push pad with sign

2Kg wall mounted Carbon Dioxide Fire Extinguisher

W 9 litre wall mounted water fire extinguisher Manual Fire alarm call point location

Smoke detector with sounder base

FIRE PROTECTION

Installation of an Automatic fire detection system to be fitted throughout in accordance with BS5839 Part 1 2002

GENERAL NOTES 1. ALL FINISHES ARE TO CONFORM TO THE REQUIRED CURRENT BUILDING REGULATIONS IN THE APPLICABLE COUNTRY (IN A UK RESTAURANT ALL FINISHES ARE TO BE CLASS 1 OR EQUIVALENT).

2. CONTRACTOR MUST VERIFY ALL SITE DIMENSIONS, DRAWINGS, DETAILS AND SPECIFICATIONS AND REPORT ANY DISCREPANCIES TO DESIGN LSM LTD BEFORE PROCEEDING WITH ANY WORK.

4. ALL REQUESTED DRAWINGS SHOWING FIXINGS AND CONSTRUCTION DETAILS ARE REQUIRED TO BE APPROVED BY DESIGN LSM LTD, PRIOR TO COMMENCEMENT OF WORK.

5. ALL SPECIFIED ITEMS ARE TO BE INSTALLED IN ACCORDANCE WITH THE MANUFACTURERS RECOMMENDATIONS. 6. CONTRACTOR TO PROVIDE A WORKING ENVIRONMENT WHICH CONFORMS TO THE CURRENT HEALTH AND SAFETY AT WORK CONDITIONS AND LOCAL AUTHORITY REGULATIONS.

7. ALL FINISHES ARE TO BE CARRIED OUT TO A HIGH STANDARD.

8. ANY DIMENSIONS ARE TO BE TAKEN FROM THE SETTING OUT PLAN ONLY AND ARE NOT TO BE SCALED FROM THE THE DRAWINGS.

9. IT IS THE CONTRACTORS RESPONSIBILITY TO UNDER TAKE AND ENSURE THAT ANY BUILDING IS CARRIED OUT UNDER THE LOCAL AUTHORITY REQUIREMENTS.

10. THE CONTRACTOR IS TO CHECK AND APPRAISE ALL DESIGN SHOP-FITTING AND CONSTRUCTION DETAILS AND OFFER ALTERNATIVES TO THE DESIGNER FOR APPROVAL.

11. IN THE EVENT THAT DRAWING INFORMATION IS NOT THE SAME, AND IF THE DESIGNER AND OR SUPERVISING OFFICER ARE UNAVAILABLE FOR COMMENT THE PROPOSED PLAN IS TO BE READ AS CORRECT.

12. THIS DRAWING IS TO READ IN CONJUNCTION WITH THE OTHER RELEVANT CONSULTANTS DRAWINGS

13. COPYRIGHT OF DESIGN LSM LIMITED. NOT TO BE REPRODUCED.

Designe	rs Residual Risk	assess	ment	
-				
A	24.02.17 Kits	chen a	nd restaurant la	avout revised
1			r licensing appl	
REVISION	DATE IT	EM		
	INFORMA	TION (ONI Y	
	_			
	APPLICAT	TON F	OR LOCAL AUT	HÖRITY
	TENDER			
	CONSTRL	ICTION	ľ	
	_			
	AS BUILT			
PROJECT	The Coals	hed	Unit 3.1	
PROJECT	The Coals			
30000000000000000000000000000000000000	The Coals One Towe			
PROJECT	One Towe	r Brio		an
30000000000000000000000000000000000000	One Towe	r Brio	dge	an
TITLE	One Towe	r Brid	icensing Pl	an CHECKED
TITLE	One Towe	r Brid	dge icensing Pl	
TITLE	One Towe	r Brid	icensing Pl	


DESIGNLSM

Branding Architecture Interior design

t +44 (0)1273 820 033

e hello@designlsm.com

w www.designlsm.com



Proposed Mezzanine Licensing Plan Scale 1:50 @ A1

RED OUTLINE AREA FOR THE SALE OF ALCOHOL AND THE PROVISION OF LATE

Area	Total
Whole demise in total (including 29.3 sqm external terrace)	407.2m2
Restaurant Ground Floor Area Internal	149.7m2
Restaurant Mezzanine Floor Area Internal	81.4m2
Restaurant Area External Terrace	29.3m2
Public WCs	24.8m2
Staff & Kitchen Area	119m2
OCCUPANCY LEVELS	
Restaurant & bar seated	106
Exterior seated	24
TOTAL NUMBER OF OCCUPANCY (seated)	142
Clear Means of escape width required for up to 110 persons	850mm
Dear Means of escape width required for 220 persons	1050mm

STANDARDS REQUIRED TO BE ACHIEVED IN RESPECT OF FIRE & SAFETY MATTERS.

1 DOORS AND PARTITIONS REQUIRED TO BE FIRE RESISTING ARE TO BE IN ACCORDANCE WITH BRITISH STANDARD BS 476 1972 AS AMENDED. ALL RIRE DOORS TO BE FD30 DOORS UNLESS STATED ON DOOR SCHEDULE, INC. INTUMESCENT STRIPS AND SMOKE SEALS ACROSS TOP AND SIDES OF DOOR. CONTRACTOR TO PROVIDE ALL NECESSARY FIRE CERTIFICATION. ANY DISCREPENCY BETWEEN THIS DRAWING AND DOOR SCHEDULE/SPEC TO BE REPORTED TO DESIGN LSM.

2 FIRE RESISTING DOORS REQUIRED TO RESIST THE PASSAGE OF SMOKE AT AMBIENT TEMPERATURE CONDITIONS SHOULD, UNLESS TESTED IN ACCORDANCE WITH BS 476 SECTION 31.1 1983, BE FITTED WITH CONTINUOUS SMOKE

3 THE FIRE ALARM SYSTEM TO COMPLY WITH BRITISH STANDARDS BS 5839 PART 1 198, THE ATTENTION OF THE DESIGN INSTALLING ENGINEER SHOULD BE DRAWN TO PARAGRAPH 4.3 (CONSULTATION RECORDS) OF BS 5839 PART 1 1988 WHICH REQUIRES CONSULTATION WITH THE FIRE AUTHORITY.

4 THE EMERGENCY LIGHTING INSTALLATION IS TO COMPLY WITH BRITISH STANDARD BS 5266 PART 1 1999 THE ATTENTION OF THE DESIGN INSTALLING ENGINEER SHOULD BE DRAWN TO PARAGRAPH 3.1 (CONSULTATION AND RECORDS) OF BS 2526 PART 1 1999. WHICH REQUIRES CONSULTATION WITH THE RIFE AUTHORITY.

5 FIRE SAFETY RELATED SIGNS AND NOTICES ARE TO CONFORM TO CURRENT BRITISH STANDARDS.

6 ILLUMINATED 'EXIT' SIGNS ARE TO CONFORM TO BS 5499 PARTS 1&3. 7 FIRE FIGHTING EQUIPMENT IS TO COMPLY WITH BS EN3 1-6, BS 7863 (1996), BS 7867 (1997) AND BS 5306 (2000).

8 UPHOLSTERED SEATING FURNITURE MUST SATISFY, AS A MINIMUM STANDARD, IGNITION SOURCE 0 (CIGARETTE TEST) AND CRIB IGNITION SOURCE 5 AS SPECIFIED IN BS 5862 1990. METHODS OF TEST FOR ASSESSMENT OF THE INGITABILITY OF UPHOLSTERED SEATING BY SMOLDERING AND FLAMING IGNITION SOURCES.

IF IN ORDER TO SECURE COMPLIANCE WITH THE ABOVE STANDARDS WITH THE FABRIC SUBMITTED FOR TEST HAS SEEN TREATED BEFOREHAND WITH A FIRE RETARDANT PRODUCT, THE TESTING LABORATORY MUST BE INSTRUCTED TO SUBJECT HE SAMPLES TO BE TREATED TO A WATER SOAK TEST. IN ACCORDANCE WITH BS 5651 1995 PARAGRAPH 13, DEFORE THE SESSE TEST SAME CARRIED OUT, A COPY OF THE LABORATORY TEST REPORT FROM AN ACCREDITED TESTING LABORATORY IDENTIFYING COMPLIANCE OF THE FROM THE ACCREDITED TESTING LABORATORY IDENTIFYING COMPLIANCE OF THE TESTING THE CONTROL OF THE LOCAL AUTHORITY SEEFON BUSTALLATION, AND CONFERNATION THAT THE FURNISHING SPECIFIED IN THIS CERTIFICATE HAVE BEEN INSTALLATION THE PREMISES.

9 CURTAINS AND OTHER TEXTILE HANGINGS MUST BE INHERENTLY FLAME RETARDANT OR BE TREATED WITH A DURABLE FLAME FLAME RETARDANT. THEY MUST BE CAPABLE OF COMPLYING WITH TYPE B' PERFORMANCE REQUIREMENTS OF BS 5857 PART 2 1980 -SPECIFICATION FOR FABRICS FOR CURTAIN AND DRAPES - FLAMMABILITY REQUIREMENTS

10 ARTIFICIAL FOLIAGE AND OTHER DECORATIVE EFFECTS ARE TO BE FIRE RETARDANT TO THE SATISFACTION OF THE FIRE AUTHORITY.

11 LININGS AND SURFACE FINISHES OF WALLS AND CEILING SHOULD HAVE SURFACE SPREAD OF FLAME RATING AS DEFINED IN THE BUILDING REGULATIONS 1991. 12. CERTIFICATES OF INSTALLATION TEST WILL BE REQUIRED IN RESPECT OF ITEMS NUMBER 3,4,6,8 AND 9 ABOVE AND MAY BE REQUIRED FOR ITEM 2.

ANY REFERENCE TO A BRITISH STANDARD (BS) SHOULD TAKEN TO INCLUDE THE EQUIVALENT EUROPEAN STANDARD IF RELEVANT.

EL Maintained Emergency light

Non maintained emergency light Illuminated exit sign over door so Ceiling Mounted Smoke Detector

Ceiling mounted Heat Detector Fire Door keep clear sign located on direction of opening side door

L Keep Door Locked Sign located on direction of opening side door Visible FA warning

Half hour fire door including intumescent smoke seal strips and positive overhead door closures, fire stops and sign rosa One hour fire door including intumescent smoke seal strips and positive overhead door closures, fire stops and sign

Vision panel in door comprising FR glass and hw beads in intrumescent paste Minimum size of vision panel 250mm dia Emergency exit sign indicating direction of means of escape

Fire alarm sounder

SC Positive overhead door closures PP Emergency Push pad with sign

8 Wall mounted Fire blanket in container 2Kg wall mounted Carbon Dioxide Fire Extinguisher


 9 litre wall mounted water fire extinguisher Manual Fire alarm call point location

Smoke detector with sounder base

FIRE PROTECTION Installation of an Automatic fire detection system to be fitted throughout in accordance with BS5839 Part 1 2002

GENERAL NOTES


- ALL FINISHES ARE TO CONFORM TO THE REQUIRED CURRENT BUILDING REGULATIONS IN THE APPLICABLE COUNTRY (IN A UK RESTAURANT ALL FINISHES ARE TO BE CLASS 1 OR EQUIVALENT).
- 2. CONTRACTOR MUST VERIFY ALL SITE DIMENSIONS, DRAWINGS DETAILS AND SPECIFICATIONS AND REPORT ANY DISCREPANCIES TO DESIGN LSM LTD BEFORE PROCEEDING WITH ANY WORK.
- 4. ALL REQUESTED DRAWINGS SHOWING FIXINGS AND CONSTRUCTION DETAILS ARE REQUIRED TO BE APPROVED BY DESIGN LSM LTD, PRIOR TO COMMENCEMENT OF WORK.
- 5. ALL SPECIFIED ITEMS ARE TO BE INSTALLED IN ACCORDANCE WITH THE MANUFACTURERS RECOMMENDATIONS.
- CONTRACTOR TO PROVIDE A WORKING ENVIRONMENT WHICH
 CONFORMS TO THE CURRENT HEALTH AND SAFETY AT WORK CONDITIONS
 AND LOCAL AUTHORITY REGULATIONS.
- 7. ALL FINISHES ARE TO BE CARRIED OUT TO A HIGH STANDARD.
- ANY DIMENSIONS ARE TO BE TAKEN FROM THE SETTING OUT PLAN ONLY AND ARE NOT TO BE SCALED FROM THE THE DRAWINGS.
- 9. IT IS THE CONTRACTORS RESPONSIBILITY TO UNDER TAKE AND ENSURE THAT ANY BUILDING IS CARRIED OUT UNDER THE LOCAL AUTHORITY REQUIREMENTS.
- 10. THE CONTRACTOR IS TO CHECK AND APPRAISE ALL DESIGN SHOP-FITTING AND CONSTRUCTION DETAILS AND OFFER ALTERNATIVES TO THE DESIGNER FOR APPROVAL.
- 11. IN THE EVENT THAT DRAWING INFORMATION IS NOT THE SAME, AND IF THE DESIGNER AND OR SUPERVISING OFFICER ARE UNAVAILABLE FOR COMMENT THE PROPOSED PLAN IS TO BE READ AS CORRECT.
- 12. THIS DRAWING IS TO READ IN CONJUNCTION WITH THE OTHER RELEVANT CONSULTANTS DRAWINGS.
- 13. COPYRIGHT OF DESIGN LSM LIMITED, NOT TO BE REPRODUCED.



DESIGNLSM

Branding Architecture Interior design

- t +44 (0)1273 820 033
- e hello@designlsm.com
- w www.designlsm.com





The Licensing Unit Floor 3 160 Tooley Street London SE1 2QH

Metropolitan Police Service

Licensing Office Southwark Police Station, 323 Borough High Street, LONDON, SE1 1JL

Tel: 020 7232 6756

Email: SouthwarkLicensing@met.police.uk

Our reference: MD/21/2933/17

Date: 30th March 2017

Dear Sir/Madam

Re:- The Coalshed Unit 3.1 4 Crown Square SE1 2SE

Police are in possession of an application from the above for a new premises licence and is described in the application as bar and restaurant.

The application is for the sale of alcohol for consumption on and off the premises and late night refreshment.

The applicant has applied for following hours:-

Opening Hours	Mon-Frl	8:00 - 00:30	Sat-Sun 08:00 - 01:30
Sale of alcohol On/Off	Mon-Fri -	08:00 - 00:00	Sat-Sun 08:00- 01:00
Latye Night Refreshment	Mon- Fri	23:00 - 00:00	Sat- Sun 23:00- 01:00

The applicants have in my opinion addressed the prevention of crime and disorder licensing objectives with the conditions attached to the operating schedule. The following wording is slightly different to that offered by the applicant. The wording of each condition is vital in order to negate any ambiguity. I ask the applicant to consider the following.

- That a CCTV system be installed at the premises and be maintained in good working order and be continually recording at all times the premises are in use under the licence. The CCTV System must be capable of capturing a clear facial image of every person who enters the premises and cover the main areas.
- All CCTV footage be kept for a period of 31 days and shall on request be made immediately available to officers of the police and the council. There will be at least one person on duty at all times that is familiar with the operation of the CCTV and able to download the footage upon request.

3. That all staff are trained in their responsibilities under the licensing act 2003 and training records to be kept and updated every 6 months and shall, upon request, be made immediately available to Officers of the Police and the Council.

Yours Sincerely

PC Ian Clements

Southwark Police Licensing Unit

Tel: 0207 232 6756

From: Earis, Richard

Sent: Friday, March 31, 2017 12:21 PM

To: Regen, Licensing

Cc: 'michael.parrott@gregglatchams.com'

Subject: Premises license application 858009: The Coalshed, Unit 3.1, One Tower Bridge

RE: Premises license application 858009: The Coalshed, Unit 3.1, One Tower Bridge

I have considered the above application and I would like to object on behalf of the Environmental Protection Responsible Authority on the grounds that the controls listed to ensure the prevention of public nuisance are considered inadequate.

I would be happy to withdraw my objections if the applicant can agree to the following conditions on the premises license, in addition to the undertaking to clear the external area by 22:00:

- There shall be no more than 24 customers permitted to use the licensed external area.
- Customers shall not be permitted to take drinks outside the licensable area of the premises
 at any time, except for alcohol sold for consumption off the premises, which shall not be
 sold for immediate consumption in the area around the premises and shall be supplied in
 sealed containers that require a tool such as a bottle opener or corkscrew to be opened.
- All external doors and doors to noise lobbies used by patrons to enter the premises shall have acoustic seals and brushes and self-closers (in accordance with BS 6459 Pt. 1 1984) fitted to those doors.
- All speakers for the broadcast of sound within the premises shall be isolated from the structure of the premises by anti-vibration mountings or mats.
- Any background music played shall remain at a volume that permits normal conversation and the volume control of any music shall be behind the bar/counter and in the full control of staff at all times.
- Amplified music, song or speech shall not be broadcast in external areas at any time.
- Suitably qualified or experienced persons shall be employed at all times whilst licensable activity is being provided, and shall take all reasonable steps to ensure that patrons do not cause a nuisance in the vicinity of the premises.
- Clearly legible signage will be prominently displayed at all patron exits, where it can easily be seen and read, requesting that patrons leave the premises in a quiet and orderly manner that is respectful to neighbours.
- The premises licence holder shall visibly display a telephone number for local residents to contact management of the premises as and when necessary.
- External waste handling, collections, deliveries and the cleaning of external areas shall only occur between the hours of 08.00hrs and 20.00hrs.

Richard

Richard Earis

Principal Environmental Protection Officer **Environmental Protection Team**

020 7525 2469

Postal address: Southwark Council | Environmental Protection Team | Regulatory Services | 3rd Floor Hub 1 | PO Box 64529 | London | SE1P 5LX.

Office address (By appointment only): Southwark Council | Environmental Protection Team | Regulatory Services | 3rd Floor Hub 1 | 160 Tooley Street | London | SE1 2QH

www.southwark.gov.uk

visit: http://www.southwark.gov.uk/air-quality



Please consider the environment - do you really need to print this email?

MEMO: Licensing Unit

То	Licensing Unit	Date	3 April 2017	
Copies				
From	Jayne Tear	Telephone	020 7525 0396	Fax
Email	jayne.tear@southwark.gov.uk			

Subject Re: The Coalshed, Unit 3.1, 4 Crown Square, London, SE1 2SE

Application for a premises licence

I write with regards to the above application for a premises licence submitted by The Coalshed One Tower Bridge Limited under the Licensing Act 2003, which seeks the following licensable activities:

- Late night refreshment (indoors) on Monday to Friday from 23:00 to 00:00, Saturday from 00:00 to 00:00, Sunday from 00:00 to 00:00
- Supply of alcohol (on and off the premises) on Monday to Friday from 08:00 to 00:00, Saturday from 00:00 to 00:00, Sunday from 00:00 to 00:00
- Overall opening times shall be on Monday to Sunday from 00:00 to 00:00

The hours applied for are confusing and this may be a website error so I seek clarification with regards to the hours applied for in particular where it states 00:00 to 00:00 on Saturday and Sunday for licensable activities. Also the hours the premises are open to the public needs clarification on all days.

The premises is described as a 'Proposed new restaurant and bar on ground and first floor with external seating area forming part of a new development near junction of Tower Bridge/Tooley Street as shown on the layout plans incl. a site plan attached to this application'.

My representation is submitted under the prevention of crime and disorder and the prevention of public nuisance licensing objectives and has regard to the Southwark Statement of Licensing Policy 2016 - 2020.

The premises is situated in the Bankside, Borough, London Bridge Strategic Cultural & London Bridge District Town Centre Area and under the Southwark Statement of Licensing policy 2016 - 2020 the appropriate closing times for Restaurants and Cafes on Sunday to Thursday is 00:00 hours and for Friday and Saturday is 01:00 hours. The closing times for Public Houses, Wine bars or other drinking establishments is Sunday to Thursday is 23:00 hours and for Friday and Saturday 00:00 hours.

Due to the limited information on the application form and to promote the licensing objectives I ask the applicant to provide the following information:

- An accomodation limit for the outside area as indicated on the plans and an accomodation limit for the inside of the premises. (to be conditioned)
- To provide a written dispersal policy for the premises. (to be conditioned)
- To consider amending the application in to be in line with the opening hours as appropriate within the licensing policy (that the premises will close on Sunday to Thursday at 00:00 hours and on Friday and Saturday at 01:00) and to bring the licensable activities in line with this.
- For the sales of alcohol 'on sales' to cease at least half hour before the closing time of the premises on each night.

Add conditions to the operating schedule as follows:

- Alcohol shall be supplied only to those taking a table meal at the premises.
- That clear legible signage shall be prominantely displayed where it can be easily seen and read, requesting that alcohol sold as off sales should not be opened and consumed in the vicinity of the premises
- That clear legible signage shall be prominantely displayed where it can be easily seen and read, requesting that customers leave the area in a quiet and orderly manner.
- That signage shall be prominantely displayed in the outside area stating that the area is closed to patrons after 22:00.

I therefore submit this representation and welcome any discussion with the applicant to consider the above representation

Southwark's Statement of Licensing Policy 2016 – 2020 can be found on the following link:

http://www.southwark.gov.uk/downloads/download/4399/licensing act 2003 - southwark statement of licensing policy 2016 - 2020

Jayne Tear Principal Licensing officer In the capacity of the Licensing Responsible Authority From: Sharpe, Carolyn On Behalf Of Public Health Licensing

Sent: Monday, April 03, 2017 4:09 PM

To: Public Health Licensing

Cc: Regen, Licensing

Subject: RE: New premises licence for Unit 3.1, 4 Crown Square, SE1

2SE

To whom it may concern:

Re: Unit 3.1, 4 Crown Square, London SE1 2SE On behalf of the Acting Director of Public Health for Southwark (a responsible authority under the Licensing Act 2003) I wish to make representation in respect of the above.

The representation is made in respect of the following licensing objective(s):

- The prevention of crime and disorder
- Prevention of public nuisance
- Public safety

General Comments

The applicant requests a new premise licence to permit the sale of alcohol both on and off the premises Monday to Friday 08:00 – 00:00 and Saturday – Sunday 8:00 - 01:00. I have concerns regarding the hours of alcohol sales requested. I would suggest an earlier finishing time for alcohol sales. Research suggests that increased hours of alcohol sales are associated with increased alcohol consumption, increased alcohol-related injuries, and increased alcohol-related harm. I would suggest a later time for alcohol sales. Early-morning alcohol purchasers are more likely to be alcohol misusers and may thereby contribute to antisocial behaviour such as street drinking.

Recommendations

- I recommend the end time for alcohol sales be changed to 00:00 on Saturdays and 23:00 on Sundays as per Southwark's Statement of Licensing Policy
- I recommend the start time for alcohol sales be changed to 11:00 daily

If you have any further questions, please do not hesitate to contact me.

Carolyn Sharpe

on behalf of Professor Kevin Fenton, Director of Health and Wellbeing (incorporating the role of Director of Public Health)

Carolyn Sharpe | carolyn.sharpe@southwark.gov.uk | 02075250025 | 07733307539Public Health Policy Officer (People & Health Intelligence), London Borough of Southwark, 160 Tooley Street, London SE1 2QH

From: Sent: Wednesday, March 29, 2017 9:29 PM

To: Regen, Licensing

Subject: Licence no. 858009

Licence no. 858009

The Shad Thames Residents' Association wishes to object to the proposed opening hours for The Coalshed, One Tower Bridge, London SE1 2SE

Our objection is on the grounds of prevention of public nuisance. Dispersal noise from persons leaving licensed premises even at midnight disturbs residents' sleep, as well as the peaceful enjoyment of their homes. We sincerely hope we have the right to respect of our homes and private lives as stated in the Human Rights Act 1998.

We are concerned that the restaurant, in very close proximity to residential properties, with a proposed closing times of 0030 and 0130 will be the cause of late night noise.

The proposed sale by retail of alcohol to be consumed on (and off) the premises until 0000 will cause late night noise. If, however, the licensing committee decided to permit the premises to change this to 2300 there would be considerably less disturbance.

As the restaurant is immediately adjacent to many residential properties, residents will not only suffer from dispersal noise, but also from noise emanating from the premises during opening hours.


We know that it is not possible to control late night dispersal noise, as licensees have no control over patrons once they have left the premises. Residents' living near the restaurant will also suffer from late night noise and disturbance from additional traffic when cars and taxis arrive and wait to collect patrons.

We presume the applicant is aware of the Guidance to the Licensing Act, which states that there is no presumption in favour of lengthening licensing hours and that the four objectives should be of paramount consideration at all times. As mentioned, we would highlight the third objective - the prevention of public nuisance – which states that licensed premises can cause a range of nuisances, impacting on people living, working or sleeping in the vicinity of the premises, and one of the principle concerns relates to noise nuisance.

The Licensing Committee is aware that the Shad Thames area was not designated as an area eligible for a "Saturation Policy" – and, that we do our utmost to monitor applications such as this one. We would ask the Licensing Committee to allow The Coalshed to remain open only until 23.00 in view of its proximity to so many residential properties.

This application was discussed by email by the core group of the Shad Thames Residents' Association, and the decision to object subsequently agreed by email.

Shad Thames Residents' Association



LICENSING SUB-COMMITTEE DISTRIBUTION LIST (OPEN) MUNICIPAL YEAR 2016-17

NOTE: Original held by Constitutional Team; all amendments/queries to Andrew Weir - Tel: 020 7525 7222

Name	No of copies	Name	No of copies
Members		Officers	
Councillor Renata Hamvas (Chair) Councillor Sunil Chopra Councillor Adele Morris Reserve	1 1 1	Debra Allday, legal team Joanne Devlin, legal team Dorcas Mills, licensing team Richard Earis, environmental protection team Jayne Tear, licensing team	1 1 1 1
Councillor Bill Williams	By email	Carolyn Sharpe, public health	1
		Andrew Weir (spares)	8
		Total printed copies: 17	
		Dated: 4 April 2017	