Tobacco Control Update July 2016

Performance		RAG rating	AMBER					
Overview								
Benchmarking	London Smoking prevalence (adults): 17.0%							
	London Smoking prevalence (adults – routine and manual): 25.3%	(adults – routine and manual): 25.3%						
Actions to susta	ain or improve performance	By when	Partner agency					
Tobacco Contro	l Review	Completed	Southwark Council and					
Action plan beir	ng developed	September 2016	Southwark CCG					
Implementation	of illegal sales campaign	December 2016	Southwark Council					
Review of peer	education programme	September 2016	Southwark Council					
Promote smoke	free: playgrounds	Completed	Southwark Council					
Re-commission	tobacco and smoking services to provide targeted support	April 2017	Southwark Council and					
			Southwark CCG					
Consider implica	ations of supporting the licensing of tobacco sales	Sept 2016	Southwark Council and					
			Southwark CCG					

Tobacco Control Update July 2016

Health and Wellbeing Board 1. Tobacco								July 2016				
Definition	Prevalence: % of smoking among persons aged 18 and over						How this Integrated Household Survindicator works		Integrated Household Survey a	vey analysed by PHE		
What good looks like	Smoking Prevalence of 14.5% by 2019/20 (23% reduction over 5 years)						Why the indicate import	tor is	Smoking is the single most preventable cause of ill health, health inequalities and premature mortality in the borough			
History with this indicator	Smoking p	revalence	e (adults)	: 16.5%								
Actual Smoking Prevalence (201		-	•	-	d Smoki		-	ojected F	owing actual Smoking Prevalence Prevalence (2015 - 2019) for Sou			
Period	2010	2011	2012	2013	2014		25 ¬			Southwark		
Southwark (%	_	19.6	19.7	20.7	16.5							
London (%)	19.4	19.5	18.0	17.3	17.0					London		
England (%)	20.8	20.2	19.5	18.4	18.0		20 -			England		
Period	2015	2016	2017	2018	2019		Prevalence percent					
Southwark (%		16.5	15.8	15.2	14.5		a d		1.1			
London (%)	16.2	15.6	15.0	14.5	13.9		enc					
England (%)	17.3	16.6	16.0	15.4	14.8		8 10 -		Y	Y		
							_ <u>~</u>	Histo	rical prevlance Projected e	stimates		
							0 +	2010 20	011 2012 2013 2014 2015	2016 2017 2018 2019		

Tobacco Control Update July 2016

Health and We 2. Tobacco	llbeing Board								July 2016
Definition	Prevalence: % of — routine and ma	_	ong persons	s aged 18 and over	How this indicator works	Integrated Household Survey analysed by PHE			
What good looks like	Smoking Prevaler over 5 years)	າce of 20.2% b	oy 2019/20	(26% reduction	Why this indicator is important	Smoking is the single most preventable cause of ill health, health inequalities and premature mortality in the borough			
History with this indicator	Smoking prevaler	nce (adults – r	outine and	l manual): 23.4%					
Prevalence (20) Period Southwark London ((%) n/a 3 %) n/a 2	•	2013 2 29.3 2 24.9 2	•	- 2014) and F and England	ng Prevalence for Routing rojected Prevalence (201		Southwark	, London
Period Southwark London (England (2015 2 (%) 22.8 2 %) 24.1 2	2016 2017 22.1 21.5 23.4 22.8 26.5 25.7	2018 20 20.8 2 22.1 2	019 20.2 21.5 24.4	25 - 20 - 20 - 20 - 20 - 20 - 20 - 20 -	storical prevlance	Projected estima	tes	