

Council NTE visits to THE CHARLIE CHAPLIN 26 New Kent Road, London, SE1 6TJ

adate	desc	officer	adtext
01/03/2014	21:06 NTE Visit	WM	<p>1/ 3/2014 21:06 WJM Full inspection of the premises with KVD. I also undertook an induction with the premises manager. ATOV I spoke to a man who identified himself as Mr. [REDACTED] (TS) and who stated that he was the manager of the premises. TS stated that the previous manager, [REDACTED], had now left the premises and confirmed that Adrian Ennis is still the DPS of the premises. TS stated that he had been working at the premises for a few months. The premises were compliant but the following issues were noted:</p> <ol style="list-style-type: none"> <li>1. It was not possible to ascertain if a fire risk assessment or general health and safety risk assessment had been devised in regards to the premises. TS stated that the unit housing the premises forms part of the shopping centre and to his knowledge the shopping centre management are responsible for all risk assessments in regards to the premises. I advised TS to find out whether this is the case or not ASAP, and to arrange to have a FRA undertaken if required. I also explained that a FRA was required under fire safety legislation. I advised TS that an H&amp;S RA is required under H&amp;S legislation and to arrange to have an H&amp;S RA undertaken ASAP if required.</li> <li>2. Some fire extinguishers at the premises had not been inspected for over 12 months. I advised TS to remove these extinguishers from service or to have them inspected. Some fire extinguishers were not in easily accessible locations. I recommended to TS that extinguishers should be wall mounted in easily accessible areas and maintained free from obstruction at all times. I also advised that staff should be made aware of where all the extinguishers in the premises are located, be trained in how to use them and be trained as to what types of flammable material(s) the extinguishers can be used on.</li> <li>3. Various fire action notices at the premises had not been completed. TS stated that new fire action notices were going to be given to him by the shopping centre management and that he would ensure that the new notices are completed.</li> <li>4. The fire exit to the r/o the stage on the first floor was locked. On looking between the gap between the fire exit doors it was observed that the doors were significantly obstructed on the other side by a goods trolley. I advised TS that all emergency exits must be kept unlocked and maintained free from obstruction at all times that the premises are in operation.</li> <li>5. There were unpackaged (and therefore non sterile) materials in the first aid box. I advised TS that all materials in the first aid box should be kept in unopened packaging, and that any materials in opened packaging should be removed from the first aid box.</li> <li>6. There was evidence of staff training in regards to the sale of alcohol, but I will send the Trading Standards age restricted sales pack in regards to alcohol to TS.</li> </ol>
04/07/2014	21:35 NTE Visit	KA	Premises at capacity, audience appear to be well behaved
19/10/2014	02:16 NTE Visit	KA	premises closed

25/10/2014	01:55 NTE Visit	RK	Visited the premises and noted that there were 6 IC3 males located at the front of the premises talking. Looked up from street level through the windows and it did not appear that there was any activity upstairs although the lights were on. I attempted to gain entry into the premises however all doors of the premises was closed. Whilst myself and AB were standing at the front of the premises a IC3 male walked out the premises and I asked him how was it is "was the place still open". The IC3 male stated no "they shut long time" and walked off. I approached another IC3 male outside the front of the premises and he also confirmed that the place was closed that I had missed out on a good night.
23/11/2014	00:30 NTE	MO	Visited first floor of premises, private booking for birthday party. SIA on the door, entry by invitation only. No issues, all appeared in good spirits.
13/02/2015	20:45 NTE Visit AB & MB	MO	Rockingham St issues letter delivered and signed for. Bar staff weren't happy regarding meeting, will follow up.
20/03/2015	21:49 NTE Visit	KA	spoke to ██████████ who said he was in charge. DPS (also holder) not available. Cr ██████ said the upstairs bar is sublet to ██████ & operates on Fri & Sat nights. There was an ashtray in the vestibule, advised to remove and to ensure that customers do not smoke in there. Should have some 'no smoking' signs on display. There is one premises licence being used for the ground floor pub and the upstairs CC Lounge, which is a bar. Craig said CCTV isn't functioning. Old licence and summary on the premises (licence number 832464). Breach of condition 298 – no signs stating 'No Drugs'. No fire risk assessment available. Breach of condition 310 – both premises have doors open and entertainment. Advised to close doors. G ██████ is in charge upstairs-discussed with both Cr ██████ and G ██████ the issue of having one licence to cover 2 premises. Both insisted that they are all working together and they are not separate premises. Warning letter to be sent.
04/04/2015	02:32 NTE Visit	RK	Visited the premises with SNman. TEN in place premises compliant. Entrance doors closed and x2 SIA staff at the front of the premises. No noise breakout from premises. Myself and SN discussed submissions of TENS with the operator of the premises. Query on submission how many days a TEN could cover resolved with operator.
17/04/2015	22:27 NTE Visit	WM	17/ 4/2015 22:27 WJM Licensing revisit with FC. I entered the premises and ID'd myself to an IC1 barman and asked to speak to the manager. The barman left the bar and came back with an IC1 male who identified himself as ██████████ (CM) and who identified himself as the manager of the premises. I asked CM if Mr. Ennis (the licensee stated on the premises licence issued in respect of the premises) still had an interest in the premises. CM stated that Mr. Ennis operated the CC Lounge. I asked CM if the CC Lounge was the 1st floor of the premises and CM stated that it was. CM stated that the ground floor and the 1st floor operated as two separate premises. I explained that the current premises licence had been issued in regards to the entire premises and that the licence conditions apply to the entire premises. I conducted the revisit. The premises were complaint. On our way out of the premises I noted that an IC3 D/S was controlling entries to the CC Lounge via the separate entrance to the 1st floor of the premises. I ID'd myself to the D/S and asked to see his SIA badge. The badge was valid. Compliance letter to follow.

24/04/2015	20:55 NTE Visit	JT	20:55 24/4/2015 JMT & TMM THE CHARLIE CHAPLIN, 26 New Kent Road, SE1 6TJ- Visited the premises and spoke to the person in charge ██████ ██████ Explained about the meeting re the ' Business Action Group' to be held at the Coronet on 12 May 2015 at 18:00hrs and gave him a copy of the invite letter. I asked him to please give a copy to the licensee who was upstairs having a break and ask him to call RAP on the number at the top of the letter to confirm attendance
06/06/2015	21:52 NTE Visit	KA	With SH. Drove by to see if doorman was wearing E&C shopping centre hi vis. Doorman was there but not wearing hi vis from E&C.
19/09/2015	20:45 NTE Visit	RK	Visited the premises and discussed fight at the premises and why the temp personal licence holder at the premises was intoxicated. Spoke with the manager of the premises initially in the presence of Mr ██████ (temp personal licence holder at premises). Manager of Charlie Chaplin was not aware or should I say he had not been advised by Mr ██████ what had happened. I do not think Mr ██████ was expecting us and certainly did not envisage a conversation with his boss about this while he was stood there. I pulled the manager aside and advised him this is not what we expected from a licensed premises. I think he was genuinely taken aback and was genuinely not aware of what had happened at the premises as he was not there when this fight had occurred. He was also taken aback that one of his members of staff was 'allegedly' drunk while in charge of his premises. He has asked for some time to discuss with Mr ██████ to get an understanding of what has actually happened so a response can be provided. The DPS on the licence is working at the premises intermittently and it's my understanding that there may be an imminent change of DPS as a result of my visit. No lead time could be provided in relation to when we can expect the DPS to be a 'constant' at the premises. Management appear to be trying out staff possibly with a view to finding the right fit and then applying for a change of DPS. I have advised the Charlie Chaplin manager (██████████ - 0██████████) that an officer would contact him to discuss the matter further. No compliance issues noted ATOV. No SIA staff were wearing Elephant & Castle high visibility.
24/01/2016	01:20 NTE Visit MAD & JU	MO	Met with Police at CC Lounge at 01:20 following flyer advertising hours beyond currently permitted. Spoke with manager of CC Lounge ██████ Or ██████ who stated he wasn't aware of the flyer and had planned to close at the usual time. The flyer wasn't something that the premises had approved. KD and I spoke with IO of the conditions currently in place for the CC Lounge and suggested that he submit a minor variation to add conditions to the first floor of the premises as it currently has conditions more suited to a pub and not what it currently operates as. IO stated he would liaise with the Police on this.
30/01/2016	02:04 NTE Visit	JT	02:04 on 30/01/2016 JMT & COT and PC MARK LYNCH CC LOUNGE 26 New Kent Road, London, SE16TJ – Premises closed ATOV
31/01/2016	01:58 NTE Visit	JT	01:58 on 31/01/2016 JMT & KMA at CC LOUNGE 26 New Kent Road, London, SE16TJ – Checked premises not open past its hours. Premises was closed atov.